Available online at www.sciencedirect.com
SCIENCE DIRECT®
Forest Ecology and Management 231 (2006) v–vi
Forest Ecology and Management
www.elsevier.com/locate/foreco

Contents

Regular articles

The influence of wildfire, logging and residual tree density on bird communities in the northern Rocky Mountains
A.K. Stuart-Smith, J.P. Hayes (Corvallis, OR, USA) and J. Schieck (Vegreville, Canada) 1
Potential climatic suitability for establishment of *Phytophthora ramorum* within the contiguous United States
R.C. Venette (St. Paul, MN, USA) and S.D. Cohen (Riverdale, MD, USA) 18
Fire and canopy species composition in the Great Lakes-St. Lawrence forest of Témiscamingue, Québec
C.R. Drever, C. Messier (Montréal, Canada), Y. Bergeron (Rouyn-Noranda) and F. Doyon (Ripon, Canada) 27
Spatial patterns in an old-growth *Nothofagus obliqua* forest in south-central Chile
C. Salas (Temuco, Chile), V. LeMay (Vancouver, Canada), P. Núñez, P. Pacheco and A. Espinosa (Temuco, Chile) 38
Recruitment and growth decline in *Pinus halepensis* populations after recurrent wildfires in Catalonia (NE Iberian Peninsula)
E. Màrcia, V. Iraima, L. Francisco and E. Josep Maria (Bellaterra, Spain) 47
The effects of various forest uses on small mammal communities in Sarawak, Malaysia
M. Nakagawa (Kyoto, Japan), H. Miguchi (Niigata, Japan) and T. Nakashizuka (Kyoto, Japan) 55
Carbon sequestration and nutrient cycling implications of the evergreen understory layer in Appalachian forests
R.A. Chastain Jr. (Fort Lewis, WA, USA), W.S. Currie (Ann Arbor, MI, USA) and P.A. Townsend (Madison, WI, USA) 63
Mixed potential for sustainable forest use in the tidal floodplain of the Amazon River
L.B. Fortini (Gainesville, FL, USA), F.G. Rabelo (Amapá, Brazil) and D.J. Zarin (Gainesville, FL, USA) 78
Temperature and source material influence ecological attributes of ponderosa pine and Douglas-fir charcoal
M.J. Gundale and T.H. DeLuca (Missoula, MT, USA) 86
Response of herbaceous plant diversity to reduced structural diversity in maple-dominated (*Acer saccharum* Marsh.) forests managed for sap extraction
A. Lenière and G. Houle (Sainte-Foy, Canada) 94
Effects of non-native grass invasion on aboveground carbon pools and tree population structure in a tropical dry forest of Hawaii
C.M. Litton (Fullerton, CA, USA and Hilo, HI, USA), D.R. Sandquist (Fullerton, CA, USA) and S. Cordell (Hilo, HI, USA) 105
Structural and compositional change in an old-growth eastern hemlock *Tsuga canadensis* forest, 1965–2004
M. Weckel (Bedford, NY, USA), J.M. Tirpak (Armonk, NY, USA), C. Nagy (New York, NY, USA) and R. Christie (Bedford, NY, USA) 114
Landscape analyses of Douglas-fir beetle populations in northern Idaho
K.J. Dodds, S.L. Garman and D.W. Ross (Corvallis, OR, USA) 119
Effects of fertilising with nitrogen and phosphorus on growth and crown condition of *Eucalyptus globulus* Labill. experiencing insect defoliation
E.A. Pinkard, C. Baillie, V. Patel and C.L. Mohammed (Hobart, Australia) 131
Simplifying assessment of forest management practices for invertebrates: How effective are higher taxon and habitat surrogates for spiders following prescribed burning?
K.E.C. Brennan (Perth, Australia and Creswick, Australia), L. Ashby, J.D. Majer (Perth, Australia), M.L. Moir (Creswick, Australia) and J.M. Koch (Applecross, Australia) 138
Post-fire regeneration thinning, cone production, serotiny and regeneration age in *Pinus halepensis*
I. Verkaik and J.M. Espelta (Bellaterra, Spain) 155
Developmental constraints limit the response of Canary Island pine seedlings to combined shade and drought
J.M. Climent, I. Aranda, J. Alonso, J.A. Pardos and L. Gil (Madrid, Spain) 164
Distribution of carabid beetles among regenerating and natural forest types in Southwestern China
X.-D. Yu, T.-H. Luo and H.-Z. Zhou (Beijing, PR China) 169
Parent material and fire as principle drivers of foliage quality in woody plants
J.G. Ferwerda, W. Siderius (Enschede, The Netherlands), S.E. Van Wieren (Wageningen, The Netherlands), C.C. Grant (Skukuza, South Africa), M. Peel (Nelspruit, South Africa), A.K. Skidmore (Enschede, The Netherlands) and H.H.T. Prins (Wageningen, The Netherlands) 178
Evaluation of yield regulation options for primary forest in Tapajós National Forest, Brazil
P.R. van Gardingen (Edinburgh, Scotland) D. Valle and I. Thompson (Belém, Brazil) 184
Oak regeneration in heterogeneous landscapes: The case of fragmented *Quercus suber* forests in the eastern Iberian Peninsula
J. Pons and J.G. Pausas (València, Spain) 196
Dead wood creation and restoration burning: Implications for bark beetles and beetle induced tree deaths
M. Eriksson (Joensuu, Finland), S. Lilja (Finland) and H. Roininen (Joensuu, Finland) 205
Effects of forest management on the abundance of insect pests on Scots pine
T.O. Veteli (Joensuu, Finland), J. Koricheva (Surrey, UK), P. Niemelä and S. Kellomäki (Joensuu, Finland) 214
A diameter distribution model for even-aged beech in Denmark
T. Nord-Larsen (Hørsholm, Denmark) and Q.V. Cao (Baton Rouge, LA, USA) 218

The influence of mycorrhization with *Tuber melanosporum* in the afforestation of a Mediterranean site with *Quercus ilex* and *Quercus faginea*
J.A. Domínguez Núñez (Madrid, Spain), J.S. Serrano (Valencia, Spain), J.A.R. Barreal and J.A.S. de Omeñaca González (Madrid, Spain) 226
Maintaining plant species composition and diversity of understory vegetation under strip-clearcutting forestry in conifer plantations in Kyushu, southern Japan
S. Ito, S. Ishigami (Miyazaki, Japan), N. Mizoue (Fukuoka, Japan) and G.P. Buckley (Kent, UK) 234